

Version 1.2	Revision Date: 02/18/2015	MSDS   31378-0	Number: )0003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014
SECTION	1. IDENTIFICATION			
Produ	uct name	: GO.	JO® Premium	Foam Antibacterial Handwash
Manu	facturer or supplier's	details		
	pany name of supplier		JO Industries,	Inc.
Addre	ess		e GOJO Plaza on OH 44311	, Suite 500
Telep	hone	: 1(3	30) 255-6000	
Emer	gency telephone	: 1-80	0-424-9300	CHEMTREC
Recommended use of the c		hemical	and restriction	ons on use
Reco	mmended use	: Anti	bacterial Soa	0
Restr	ictions on use	con fore spe exe Whi con prop as v spill emp inte	sumers and o seeable use. cifically define mpt from the i le this materia tains valuable ber use of the vell as unusua s. This SDS s oloyees and o nded-use guid	I care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, ad by regulations around the world, are requirement of an SDS for the consumer. al is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large hould be retained and available for ther users of this product. For specific lance, please refer to the information ackage or instruction sheet.

## SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Serious eye damage	: Category 1
GHS Label element Hazard pictograms	
Signal Word Hazard Statements	<ul> <li>Danger</li> <li>H226 Flammable liquid and vapor.</li> </ul>



Version 1.2	Revision Date: 02/18/2015	MSDS Number: 31378-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014
		H318 Causes se	erious eye damage.
Preca	utionary Statements	No smoking. P233 Keep cont P241 Use explo- equipment. P242 Use only r P243 Take prec P280 Wear prote <b>Response:</b> P303 + P361 + I all contaminated P305 + P351 + I water for severa and easy to do. CENTER or doc <b>Storage:</b> P403 + P235 Str <b>Disposal:</b>	y from heat/sparks/open flames/hot surfaces ainer tightly closed. sion-proof electrical/ ventilating/ lighting/ non-sparking tools. autionary measures against static discharge. ective gloves/ eye protection/ face protection. P353 IF ON SKIN (or hair): Take off immediately I clothing. Rinse skin with water/shower. P338 + P310 IF IN EYES: Rinse cautiously with I minutes. Remove contact lenses, if present Continue rinsing. Immediately call a POISON tor/ physician. ore in a well-ventilated place. Keep cool. f contents/ container to an approved waste

#### Other hazards

Vapors may form explosive mixture with air.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 1 - < 5
Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2- ethanediyl), Ammonium salt	67762-19-0	>= 1 - < 5
Ammonium dodecyl sulphate	2235-54-3	>= 1 - < 5
Propylene glycol	57-55-6	>= 1 - < 5
4-chloro-3,5-dimethylphenol	88-04-0	>= 0.1 - < 1

## SECTION 4. FIRST AID MEASURES

General advice	In the case of accident or if you feel unwell, seek medic advice immediately. When symptoms persist or in all cases of doubt seek m advice.	
If inhaled	If inhaled, remove to fresh air. Get medical attention if symptoms occur.	



Version 1.2	Revision Date: 02/18/2015	MSDS Number: 31378-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014		
In case of skin contact			ater and soap as a precaution. attention if symptoms occur.		
In case of eye contact		for at least 15 If easy to do,	<ul> <li>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.</li> <li>If easy to do, remove contact lens, if worn.</li> <li>Get medical attention immediately.</li> </ul>		
If swallowed		Get medical a	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.		
Most important symptoms and effects, both acute and delayed		: Causes serio	us eye damage.		
Prot	ection of first-aiders	and use the r	onders should pay attention to self-protection, ecommended personal protective equipment ential for exposure exists.		
Note	es to physician	: Treat sympto	matically and supportively.		

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Sulfur oxides Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.



Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	02/18/2015	31378-00003	Date of first issue: 12/11/2014

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapors/mists with a water spray jet. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.
Advice on safe handling	<ul> <li>Avoid inhalation of vapor or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Non-sparking tools should be used. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the</li> </ul>



Version 1.2	Revision Date: 02/18/2015	MSDS Number: 31378-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014
		environment.	
Condit	ions for safe storage	Keep tightly clos Keep in a cool, v Store in accorda	labeled containers. ed. vell-ventilated place. nce with the particular national regulations. heat and sources of ignition.
Materi	als to avoid	Strong oxidizing Organic peroxide Flammable solid Pyrophoric liquic Pyrophoric solide Self-heating sub	es s ls s stances and mixtures mixtures which in contact with water emit

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

	-			-
Ingredients	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	
		exposure)	Permissible	
			concentration	
Ethanol	64-17-5	TWA	1,000 ppm	NIOSH REL
			1,900 mg/m3	
		TWA	1,000 ppm	OSHA Z-1
			1,900 mg/m3	
		STEL	1,000 ppm	ACGIH
Propylene glycol	57-55-6	TWA	10 mg/m3	US WEEL

#### Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alpha-Sulfo-omega-	67762-19-0
(dodecyloxy)-poly(oxy-1,2-	
ethanediyl), Ammonium salt	
Ammonium dodecyl sulphate	2235-54-3
4-chloro-3,5-dimethylphenol	88-04-0

#### Engineering measures

: Minimize workplace exposure concentrations. Use only in an area equipped with explosion proof exhaust

ventilation. Use with local exhaust ventilation. Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total



Version 1.2	Revision Date: 02/18/2015	MSDS Number: 31378-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014
		Particles (insolu	- respirable fraction; and ACGIH TWA for uble or poorly soluble) Not Otherwise ng/m3 - respirable particles, 10 mg/m3 - les.
Per	sonal protective equipm	ent	
	spiratory protection	: General and log maintain vapor concentrations unknown, appro Follow OSHA ro use NIOSH/MS by air purifying hazardous cher supplied respira release, exposit	cal exhaust ventilation is recommended to exposures below recommended limits. Where are above recommended limits or are opriate respiratory protection should be worn. espirator regulations (29 CFR 1910.134) and GHA approved respirators. Protection provided respirators against exposure to any mical is limited. Use a positive pressure air ator if there is any potential for uncontrolled ure levels are unknown, or any other where air purifying respirators may not provide ction.
	nd protection Aaterial	: Impervious glov	/es
Ν	Naterial	: Flame retardan	t gloves
F	Remarks	on the concentre time is not dete For special app resistance to ch gloves with the	to protect hands against chemicals depending ration specific to place of work. Breakthrough rmined for the product. Change gloves often! lications, we recommend clarifying the nemicals of the aforementioned protective glove manufacturer. Wash hands before he end of workday.
Eye	e protection	Chemical resist	ring personal protective equipment: ant goggles must be worn. likely to occur, wear:
Ski	n and body protection	resistance data potential. Wear the follow Flame retardan Skin contact mo	ate protective clothing based on chemical and an assessment of the local exposure ving personal protective equipment: t antistatic protective clothing. ust be avoided by using impervious protective s, aprons, boots, etc).
Hyg	giene measures	located close to When using do	e flushing systems and safety showers are the working place. not eat, drink or smoke. nated clothing before re-use.



Versior 1.2	n Revision Date: 02/18/2015		DS Number: 378-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014
SECTI	ON 9. PHYSICAL AND CHI	ΞΜΙΟ		S
	opearance		liquid	-
Co	blor	:	clear, amber, bro	wn
Oc	dor	:	fruity	
Od	dor Threshold	:	No data available	9
рH	1	:	4.5 - 8.5	
Me	elting point/freezing point	:	No data available	9
	tial boiling point and boiling nge	:	No data available	3
Fla	ash point	:	26.00 °C	
Ev	vaporation rate	:	No data available	9
Fla	ammability (solid, gas)	:	Not applicable	
Up	oper explosion limit	:	No data available	9
Lo	wer explosion limit	:	No data available	9
Va	apor pressure	:	No data available	9
Re	elative vapor density	:	No data available	9
De	ensity	:	1.00 g/cm3	
	blubility(ies) Water solubility	:	soluble	
	artition coefficient: n- tanol/water	:	Not applicable	
Αι	utoignition temperature	:	No data available	9
De	ecomposition temperature	:	The substance o	r mixture is not classified self-reactive.
	scosity Viscosity, kinematic	:	10 - 20 mm2/s (2	20 °C)
Ex	plosive properties	:	Not explosive	
O	kidizing properties	:	The substance o	r mixture is not classified as oxidizing.

#### SECTION 10. STABILITY AND REACTIVITY



Version 1.2	Revision Date: 02/18/2015	MSDS Nu 31378-000		Date of last issue: 02/10/2015 Date of first issue: 12/11/2014
Rea	activity	: Not cl	assified as	a reactivity hazard.
Che	emical stability	: Stable	e under nor	mal conditions.
Pos tior	sibility of hazardous reac s	Vapor	rs may form	l and vapor. n explosive mixture with air. rong oxidizing agents.
Co	nditions to avoid	: Heat,	flames and	l sparks.
Inc	ompatible materials	: Oxidiz	zing agents	
	ardous decomposition	: No ha	izardous de	ecomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Skin contact Ingestion Eye contact					
Acute toxicity					
Not classified based on available	e information.				
Product:					
Acute oral toxicity :	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method				
<u>Ingredients:</u> Ethanol:					
	: LD50 (Rat): > 5,000 mg/kg				
Acute inhalation toxicity :	ELC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapor				
	<ul> <li>xy)-poly(oxy-1,2-ethanediyl), Ammonium salt:</li> <li>LD50 (Rat): 4,100 mg/kg</li> <li>Method: OECD Test Guideline 401</li> <li>Remarks: Based on data from similar materials</li> </ul>				
Acute dermal toxicity :	<ul> <li>LD50 (Rat): &gt; 2,000 mg/kg</li> <li>Method: OECD Test Guideline 402</li> <li>Assessment: The substance or mixture has no acute dermal toxicity</li> <li>Remarks: Based on data from similar materials</li> </ul>				
Ammonium dodecyl sulphate: Acute oral toxicity	<ul> <li>LD50 (Rat): 2,000 mg/kg</li> <li>Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)</li> <li>Remarks: Based on data from similar materials</li> </ul>				



	Revision Date: 02/18/2015	MSDS Number: 31378-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014
	<b>/lene glycol:</b> oral toxicity	: LD50 (Rat): > 5	000 mg/kg
Acule	oral toxicity	. LD00 (Ital). > 0	,000 mg/kg
Acute	inhalation toxicity	: LC50 (Rabbit): Exposure time:	> 159 mg/l, > 51091 ppm 4 b
		Test atmospher	re: dust/mist
		Assessment: TI inhalation toxici	ne substance or mixture has no acute ty
Acute	dermal toxicity	: LD50 (Rabbit):	> 2,000 mg/kg
		Assessment: TI toxicity	ne substance or mixture has no acute derma
	oro-3,5-dimethylphe		
Acute	oral toxicity	: Acute toxicity e Method: Expert	stimate: 500 mg/kg iudament
			d on harmonised classification in EU regulat
Acute	inhalation toxicity	: LC50 (Rat): > 6	.29 mg/l
		Test atmospher	re: dust/mist
Skin o	dermal toxicity corrosion/irritation assified based on ava	: LD50 (Rat): > 2 ailable information.	,000 mg/kg
<b>Skin d</b> Not cl	corrosion/irritation assified based on ava		,000 mg/kg
<b>Skin d</b> Not cl <u>Produ</u> Resul	<b>corrosion/irritation</b> assified based on ava <u>uct:</u> t: No skin irritation		,000 mg/kg
Skin o Not cl Produ Result Ingree Ethan	corrosion/irritation assified based on ava <u>uct:</u> t: No skin irritation dients: nol:		,000 mg/kg
Skin o Not cl Produ Result Ingree Ethan Specie	corrosion/irritation assified based on ava <u>uct:</u> t: No skin irritation dients: nol: es: Rabbit	ailable information.	,000 mg/kg
Skin o Not cl Produ Resul Ingree Ethan Specie Metho	corrosion/irritation assified based on ava <u>uct:</u> t: No skin irritation dients: nol:	ailable information.	,000 mg/kg
Skin o Not cl Produ Result Ingree Ethan Specie Metho Result	corrosion/irritation assified based on ava <u>uct:</u> t: No skin irritation dients: nol: es: Rabbit pd: OECD Test Guide t: No skin irritation	ailable information. line 404	
Skin o Not cl Produ Result Ingree Ethan Specie Metho Result Alpha Specie	corrosion/irritation assified based on ava <u>uct:</u> t: No skin irritation dients: nol: es: Rabbit pd: OECD Test Guide t: No skin irritation a-Sulfo-omega-(dode es: Rabbit	ailable information. line 404 ecyloxy)-poly(oxy-1,2-	.,000 mg/kg •ethanediyl), Ammonium salt:
Skin o Not cl Produ Result Ingree Ethan Specie Metho Specie Metho	corrosion/irritation assified based on ava <u>uct:</u> t: No skin irritation dients: nol: es: Rabbit od: OECD Test Guide t: No skin irritation a-Sulfo-omega-(dode es: Rabbit od: OECD Test Guide	ailable information. line 404 ecyloxy)-poly(oxy-1,2-	
Skin o Not cl Produ Result Ingree Ethan Specie Metho Result Alpha Specie Metho Result	corrosion/irritation assified based on ava <u>uct:</u> t: No skin irritation dients: nol: es: Rabbit pd: OECD Test Guide t: No skin irritation a-Sulfo-omega-(dode es: Rabbit	ailable information. line 404 ecyloxy)-poly(oxy-1,2- line 404	
Skin o Not cl Produ Resul Ingree Ethan Specie Metho Resul Alpha Specie Metho Resul Rema	corrosion/irritation assified based on ava <u>uct:</u> t: No skin irritation dients: nol: es: Rabbit od: OECD Test Guide t: No skin irritation a-Sulfo-omega-(dode es: Rabbit od: OECD Test Guide t: Skin irritation irks: Based on data fr	ailable information. line 404 <b>ecyloxy)-poly(oxy-1,2</b> - line 404 om similar materials	
Skin o Not cl Produ Resul Ingree Ethan Specie Metho Resul Resul Rema Amme	corrosion/irritation assified based on ava <u>uct:</u> t: No skin irritation dients: nol: es: Rabbit od: OECD Test Guide t: No skin irritation a-Sulfo-omega-(dode es: Rabbit od: OECD Test Guide t: Skin irritation urks: Based on data fr onium dodecyl sulp es: Rabbit	ailable information. line 404 ecyloxy)-poly(oxy-1,2- line 404 om similar materials hate:	
Skin o Not cl Produ Result Ingree Ethan Specie Metho Result Rema Specie Metho Result Rema	corrosion/irritation assified based on ava <u>uct:</u> t: No skin irritation dients: nol: es: Rabbit od: OECD Test Guide t: No skin irritation a-Sulfo-omega-(dode es: Rabbit od: OECD Test Guide t: Skin irritation arks: Based on data fr onium dodecyl sulp	ailable information. line 404 ecyloxy)-poly(oxy-1,2- line 404 om similar materials hate:	
Skin o Not cl Produ Result Ingree Ethan Specie Metho Result Rema Specie Metho Result Rema	corrosion/irritation assified based on ava <u>uct:</u> t: No skin irritation dients: nol: es: Rabbit od: OECD Test Guide t: No skin irritation a-Sulfo-omega-(dode es: Rabbit od: OECD Test Guide t: Skin irritation urks: Based on data fr onium dodecyl sulp es: Rabbit od: OECD Test Guide t: Skin irritation	ailable information. line 404 ecyloxy)-poly(oxy-1,2- line 404 om similar materials hate:	
Skin o Not cl Produ Resul Ethan Specie Metho Resul Rema Alpha Specie Metho Resul Rema Propy Specie	corrosion/irritation assified based on ava <u>uct:</u> t: No skin irritation dients: nol: es: Rabbit od: OECD Test Guide t: No skin irritation a-Sulfo-omega-(dode es: Rabbit od: OECD Test Guide t: Skin irritation urks: Based on data fr onium dodecyl sulp es: Rabbit od: OECD Test Guide t: Skin irritation urks: Based on data fr onium dodecyl sulp es: Rabbit od: OECD Test Guide t: Skin irritation	ailable information. line 404 ecyloxy)-poly(oxy-1,2- line 404 om similar materials hate: line 404	
Skin o Not cl Produ Resul Ethan Specie Metho Resul Resul Rema Alpha Specie Metho Resul Rema Propy Specie Metho	corrosion/irritation assified based on ava <u>uct:</u> t: No skin irritation dients: nol: es: Rabbit bd: OECD Test Guide t: No skin irritation a-Sulfo-omega-(dode es: Rabbit bd: OECD Test Guide t: Skin irritation irrks: Based on data fr onium dodecyl sulp es: Rabbit bd: OECD Test Guide t: Skin irritation viene glycol:	ailable information. line 404 ecyloxy)-poly(oxy-1,2- line 404 om similar materials hate: line 404	



Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	02/18/2015	31378-00003	Date of first issue: 12/11/2014

#### 4-chloro-3,5-dimethylphenol:

**Result: Skin irritation** 

Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

#### Serious eye damage/eye irritation

Causes serious eye damage.

### Ingredients:

**Ethanol:** Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

#### Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Species: Rabbit Result: Irreversible effects on the eye Remarks: Based on data from similar materials

#### Ammonium dodecyl sulphate:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405

#### Propylene glycol:

Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405

#### 4-chloro-3,5-dimethylphenol:

Result: Irreversible effects on the eye

#### Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

#### Product:

Assessment: Does not cause skin sensitization.

#### Ingredients:

#### Ethanol:

Test Type: Local lymph node assay (LLNA) Routes of exposure: Skin contact Species: Mouse Result: negative

#### Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative



Version	Revision Date:	MSDS Number:	Date of
1.2	02/18/2015	31378-00003	Date of

Date of last issue: 02/10/2015 Date of first issue: 12/11/2014

Remarks: Based on data from similar materials

#### Ammonium dodecyl sulphate:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

#### Propylene glycol:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative

## 4-chloro-3,5-dimethylphenol:

Assessment: Probability or evidence of skin sensitization in humans Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

### Germ cell mutagenicity

Not classified based on available information.

#### Ingredients:

Ethanol:	
Genotoxicity in vitro :	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo :	Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative
Alpha-Sulfo-omega-(dodecylox Genotoxicity in vitro :	xy)-poly(oxy-1,2-ethanediyl), Ammonium salt: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
:	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo :	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 475 Result: negative Remarks: Based on data from similar materials
Ammonium dodecyl sulphate: Genotoxicity in vitro :	Test Type: In vitro mammalian cell gene mutation test



Version 1.2	Revision Date: 02/18/2015	MSDS 31378-	Number: 00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014
			sult: negativ marks: Base	e ed on data from similar materials
Genc	otoxicity in vivo	cyte Spe App Me Res	ogenetic ass ecies: Mouse blication Rou thod: OECD sult: negative	e ute: Ingestion Test Guideline 474
Pron	ylene glycol:			
	stoxicity in vitro		st Type: Bac sult: negativ	terial reverse mutation assay (AMES) e
Geno	otoxicity in vivo			ivo micronucleus test
			ecies: Mouse	
			sult: negative	ute: Intraperitoneal injection e
4-chl	oro-3,5-dimethylphe	nol:		
Geno	otoxicity in vitro		st Type: Bac sult: negativ	terial reverse mutation assay (AMES) e
	<b>inogenicity</b> lassified based on ava	ailable infor	mation.	
Amm Spec Appli Expo Resu	edients: nonium dodecyl sulp ies: Rat cation Route: Ingestio sure time: 2 Years It: negative arks: Based on data fr	n	materials	
Pron	ylene glycol:			
Spec Appli Expo	ies: Rat cation Route: Ingestio sure time: 2 Years It: negative	n		
IARO		equal		his product present at levels greater than or dentified as probable, possible or confirmed h by IARC.
OSH	Α	equal		nis product present at levels greater than or dentified as a carcinogen or potential carcino-
NTP			to 0.1% is ic	nis product present at levels greater than or dentified as a known or anticipated carcinogen



Versi 1.2	ion	Revision Date: 02/18/2015		DS Number: 378-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014
	-	<b>Juctive toxicity</b> ssified based on availa	able	information.	
<u> </u>	Ingredi	ients:			
	Ethanc				
	Effects	on fertility	:	Species: Mouse Application Route	generation reproduction toxicity study e: Ingestion fest Guideline 416
					thanediyl), Ammonium salt:
	Effects	on fertility	:	Species: Rat Application Route Result: negative	generation reproduction toxicity study e: Ingestion on data from similar materials
l	Effects	on fetal development	:	Species: Rat Application Route Result: negative	generation reproduction toxicity study e: Ingestion on data from similar materials
		nium dodecyl sulpha on fetal development	te: :	Species: Rat Application Route Result: negative	yo-fetal development e: Ingestion on data from similar materials
I	Propyl	ene glycol:			
		on fertility	:	Species: Mouse Application Route Result: negative	e: Ingestion
I	Effects	on fetal development	:	Test Type: Embry Species: Mouse Application Route Result: negative	yo-fetal development e: Ingestion
:	STOT-	single exposure			

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

## Repeated dose toxicity

## Ingredients:

Ethanol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion



Version	Revision Date:	MSDS Number:	Da
1.2	02/18/2015	31378-00003	Da

Date of last issue: 02/10/2015 Date of first issue: 12/11/2014

Exposure time: 2 y

### Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Species: Rat NOAEL: > 225 mg/kg Application Route: Ingestion Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

### Propylene glycol:

Species: Rat NOAEL: 1,700 mg/kg Application Route: Ingestion Exposure time: 2 y

#### 4-chloro-3,5-dimethylphenol:

Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin contact Exposure time: 90 d

#### Aspiration toxicity

Not classified based on available information.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

<u>Ingredients:</u> Ethanol:	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Alpha-Sulfo-omega-(dodecy Toxicity to fish	oxy)-poly(oxy-1,2-ethanediyl), Ammonium salt: : LC50 (Danio rerio (zebra fish)): 7.1 mg/l Exposure time: 96 h Method: OECD Test Guideline 203



Version 1.2	Revision Date: 02/18/2015	MSDS Number:Date of last issue: 02/10/201531378-00003Date of first issue: 12/11/2014	
		Remarks: Based on data from similar materials	
	city to daphnia and other atic invertebrates	<ul> <li>EC50 (Daphnia magna (Water flea)): 7.4 mg/l</li> <li>Exposure time: 48 h</li> <li>Method: OECD Test Guideline 202</li> <li>Remarks: Based on data from similar materials</li> </ul>	
Toxi	city to algae	<ul> <li>ErC50 (Desmodesmus subspicatus (green algae)): 27.7 r Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials</li> </ul>	mg/l
		NOEC (Desmodesmus subspicatus (green algae)): 0.95 r Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials	mg/l
Toxic toxic	city to fish (Chronic ity)	<ul> <li>NOEC (Oncorhynchus mykiss (rainbow trout)): 0.14 mg/l Exposure time: 28 d Method: OECD Test Guideline 204 Remarks: Based on data from similar materials</li> </ul>	
aqua	city to daphnia and other atic invertebrates onic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.27 mg/l Exposure time: 21 d Remarks: Based on data from similar materials	
Toxi	city to bacteria	<ul> <li>EC10 (Pseudomonas putida): &gt; 10 g/l</li> <li>Exposure time: 16 h</li> <li>Method: DIN 38 412 Part 8</li> <li>Remarks: Based on data from similar materials</li> </ul>	
	nonium dodecyl sulpha city to fish	<ul> <li>LC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l</li> <li>Exposure time: 96 h</li> <li>Method: OECD Test Guideline 203</li> <li>Remarks: Based on data from similar materials</li> </ul>	
	city to daphnia and other atic invertebrates	: EC50 (Daphnia magna (Water flea)): 4.7 mg/l Exposure time: 48 h Method: Tested according to Directive 92/69/EEC. Remarks: Based on data from similar materials	
Toxi	city to algae	<ul> <li>ErC50 (Desmodesmus subspicatus (green algae)): &gt; 20 r Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials</li> </ul>	mg/l
		EC10 (Desmodesmus subspicatus (green algae)): 5.4 mg Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials	g/l
	city to daphnia and other atic invertebrates	: NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l Exposure time: 7 d	



Vers 1.2	sion	Revision Date: 02/18/2015		DS Number: 378-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014
	(Chron	ic toxicity)		Remarks: Based of	on data from similar materials
	Toxicity	y to bacteria	:	Exposure time: 16 Method: DIN 38 4	
		<b>ene glycol:</b> y to fish	:	LC50 (Oncorhyncl Exposure time: 96	nus mykiss (rainbow trout)): 40,613 mg/l h
		y to daphnia and other invertebrates	:	EC50 (Ceriodaphr Exposure time: 48	nia dubia (water flea)): 18,340 mg/l h
	Toxicity	y to algae	:	EC50 (Skeletonen Exposure time: 48 Method: OECD Te	
	Toxicity toxicity	y to fish (Chronic )	:	Chronic Toxicity V Exposure time: 30	
	aquatic	y to daphnia and other c invertebrates ic toxicity)	:	NOEC (Ceriodaph Exposure time: 7 d	nia dubia (water flea)): 29,000 mg/l d
	Toxicity	y to bacteria	:	NOEC (Pseudomo Exposure time: 18	onas putida): > 20,000 mg/l h
		<b>ro-3,5-dimethylphenol</b> y to fish	l <b>:</b> :	LC50 (Oncorhyncl Exposure time: 96	nus mykiss (rainbow trout)): 0.76 mg/l h
		y to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 7.7 mg/l h
	M-Fact icity)	or (Acute aquatic tox-	:	1	
	Persis	tence and degradabili	ty		
	Ingred				
	Ethand Biodeg	<b>bl:</b> radability	:	Result: Readily bio Biodegradation: 8 Exposure time: 20	4 %
		Sulfo-omega-(dodecy radability		Result: Readily bid Biodegradation: 1 Exposure time: 28 Method: Directive	00 %



02/10/2015 12/11/2014
r materials
nium salt:

Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Dispose of as unused product.</li> <li>Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>



Version	Revision Date:	MSDS Number:
1.2	02/18/2015	31378-00003

Date of last issue: 02/10/2015 Date of first issue: 12/11/2014

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulation

UNRTDG	
UN number	: UN 1987
Proper shipping name	: ALCOHOLS, N.O.S.
	(Ethanol, Propan-2-ol)
Class	: 3
Packing group	: 111
Labels	: 3
IATA-DGR	
UN/ID No.	: UN 1987
Proper shipping name	: Alcohols, n.o.s.
	(Ethanol, Propan-2-ol)
Class	: 3
Packing group	: 111
Labels	: Flammable Liquids
Packing instruction (cargo	: 366
aircraft)	
Packing instruction	: 355
(passenger aircraft)	
IMDG-Code	
UN number	: UN 1987
Proper shipping name	: ALCOHOLS, N.O.S.
	(Ethanol, Propan-2-ol)
Class	: 3
Packing group Labels	: III : 3
EmS Code	. 5 : F-E, S-D
Marine pollutant	: no
Politicant	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## Domestic regulation

<b>49 CFR</b> UN/ID/NA number Proper shipping name	: UN 1987 : ALCOHOLS, N.O.S.
Class	: 3
Packing group	: III
Labels	: FLAMMABLE LIQUID
ERG Code	: 127
Marine pollutant	: no



Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	02/18/2015	31378-00003	Date of first issue: 12/11/2014

#### **SECTION 15. REGULATORY INFORMATION**

#### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **US State Regulations**

#### Pennsylvania Right To Know

	Water	7732-18-5	70 - 90 %
	Ethanol	64-17-5	1 - 5 %
	Ammonium dodecyl sulphate	2235-54-3	1 - 5 %
	Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy- 1,2-ethanediyl), Ammonium salt	67762-19-0	1 - 5 %
	Propylene glycol	57-55-6	1 - 5 %
	Ammonium sulfate	7783-20-2	0.1 - 1 %
	Propan-2-ol	67-63-0	0.1 - 1 %
New Jersey Ri	ght To Know		
	Water	7732-18-5	70 - 90 %
	Ethanol	64-17-5	1 - 5 %
	Ammonium dodecyl sulphate	2235-54-3	1 - 5 %
	Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy- 1,2-ethanediyl), Ammonium salt	67762-19-0	1 - 5 %
	Propylene glycol	57-55-6	1 - 5 %

#### **California Prop 65**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### The ingredients of this product are reported in the following inventories: d or exempt.

AICS	: A	Il ingredients listed

#### Inventories




Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	02/18/2015	31378-00003	Date of first issue: 12/11/2014

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

#### SECTION 16. OTHER INFORMATION





## Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / STEL		Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA		8-hr TWA
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	02/18/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.



VersionRevision Date:MSDS Number:Date of last issue: 02/10/20151.202/18/201531378-00003Date of first issue: 12/11/2014

US / Z8