SAFETY DATA SHEET

HARDENING COMPOUND

SDS Revision Date:

05/28/2015



1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product Identifiers

Product Identity Alternate Names Hardening Compound

Cavity Preservative Powder, Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Uses Application Method Preservative Powder, Sundry See Technical Data Sheet

1.3 Details of the supplier of the safety data sheet

Company Name

Hydrol Chemical Company, Inc.

520 Commerce Drive Yeadon, PA 19050

1.4 Emergency telephone number

CHEMTREC (USA)
Customer Service

(800) 424-9300

Hydrol Chemical Company, Inc.

(800) 345-8200 (610) 622-3603

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity 4; H302 Acute toxicity 4; H332 Skin irritation 2; H315 Eye damage 1; H318 Skin sensitivity 1; H317 Carcinogenicity 2; H351 STOT – single exposure 3; H335 Harmful if swallowed.
Harmful if inhaled.
Causes skin irritation.
Causes serious eye damage.

May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation.

2.2 GHS Label elements, including precautionary statements







Pictogram:
Signal word:

Danger

Hazard statements:

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.

Precautionary statements:

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P261 Avoid breathing dust / fume / gas / mist / vapors / spray.
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink, or smoke when using this product.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear protective gloves / eye protection / face protection.

Response statements:

P301+310 IF SWALLOWED: Immediately call a POISON CENTER or doctor / physician.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

P308+313 If exposed or concerned: Get medical advice / attention.

P321 Specific treatment (see information on this label).

P330 Rinse mouth.

P333+313 IF skin irritation or a rash occurs: Get medical advice or attention.

P363 Wash contaminated clothing before reuse.

Storage statements:

P405 Store locked up.

Disposal statements:

P501 Dispose of contents / container in accordance with local / national regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances Regulations.

Ingredient / Chemical Designations	Weight %	GHS Classification	Notes
Calcium Sulfate CAS Number: 0007778-18-9	15 – 30		(1)(2)
Potassium Aluminum Sulfate CAS Number: 0010043-67-1	20 – 35		(1)
Benzoic Acid CAS Number: 0000065-85-0	0.1 – 1.0	Skin Irritant 2; H315 Eye Damage 1; H318 STOT RE 1; H372 Acute aquatic toxicity 3; H402	(1)
Diethylene Glycol CAS Number: 0000111-46-6	1.0 – 10	Acute Toxicity 4; H302 STOT RE 2; H373	(1)
Paraformaldehyde CAS Number: 0030525-89-4	0.1 – 1.0	Flammable Solid 2; H228 Acute Toxicity 4; H332 Acute Toxicity 4; H302 Skin Irritant 2; H315 Skin Sensitivity 1; H317 Eye Damage 1; H318 STOT SE 3; H335 Carcinogenicity 2; H351 Acute aquatic toxicity 3; H402	(1)

⁽¹⁾ Substance classified with a health or environmental hazard.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General: Move victim to fresh air.

Call 911 or emergency medical service.

Give artificial respiration if victim is not breathing.

Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Administer oxygen if breathing is difficult.

Remove and isolate contaminated clothing and shoes.

In case of contact with substance, immediately flush skin or eyes with running water for at least 20

minutes.

Keep victim warm and quiet.

Effects of exposure (inhalation, ingestion, or skin contact) to substance may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect

themselves.

Inhalation: Move victim to fresh air. If breathing is irregular or stopped, give artificial respiration. If unconscious,

place in the recovery position and obtain immediate medical attention.

Eyes: Irrigate copiously with clean, fresh water for at least 15 minutes, holding eyelids apart, and seek medical

attention.

Skin: Remove contaminated clothing. Wash with soap and water.

⁽²⁾ Substance with a workplace exposure limit.

Ingestion: If the person is conscious, induce vomiting immediately by giving two glasses of water and pressing finger

down throat. Repeat until vomit is clear, then give milk. Contact a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Overview Effects of contact or inhalation may be delayed. Possible cancer hazard. Contains an ingredient which may

cause cancer based on animal data.

Inhalation: Highly irritating to upper respiratory tract. May cause inflammation of the lining of the nose, throat, and

lungs, with bronchial pneumonia and edema possible from extreme irritating exposure.

Eyes: Causes severe eye irritation.

Skin: Contact with dust can cause reddening and swelling. Prolonged and repeated contact causes a hardening

effect. May cause contact allergic dermatitis.

Ingestion: Harmful if swallowed.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Dry chemical, foam, carbon dioxide, and water fog.

5.2 Special hazards arising from the substance or mixture

May form formaldehyde gas, carbon oxides, hydrogen, formic acid, and various hydrocarbons. Incomplete combustion may also produce irritating smoke and toxic or irritating gases or fumes.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust / mist / fume / gas / vapors / spray.

5.3 Advice for fire-fighters

Wear positive pressure self-contained breathing apparatus (SCBA).

Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection in fire situations ONLY; It is not effective in spill situations where direct contact with the substance is possible.

May cause toxic effects if inhaled or ingested / swallowed.

Contact with substance may cause burns to skin and eyes.

Fire may produce irritating, corrosive, and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment, and emergency procedures

Prevent entry into waterways, sewers, basements, or confined areas.

6.2 Environmental precautions

Do not allow spills to enter drains or watercourses.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or use of the toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3 Methods and material for containment and cleanup

As an immediate precautionary measure, isolate spill or leak area for at least 25 meters (75 feet) in all directions. Keep unauthorized personnel away.

Stay upwind.

Keep out of low areas.

Ventilate closed spaces before entering.

Clean up solid material carefully. Remove material to a chemical disposal area.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

See Section 2 for further details.

7.2 Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Avoid contact with strong oxidizers / alkalis / mineral acids / phenol / urea. See Section 2 for further details.

7.3 Specific end use(s)

No data available.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control parameters

Exposure

Ingredient / Chemical Designations	Source	Value
Calcium Sulfate	OSHA	PEL 5 mg/m ³ Respirable Fraction, 15 mg/m ³ Total Dust
CAS Number: 0007778-18-9	ACGIH	TWA 10 mg/m ³ Inhalable Fraction
	NIOSH	PEL 5 mg/m ³ Respirable Fraction, 10 mg/m ³ Total Dust
	Supplier	No established limit
Potassium Aluminum Sulfate	OSHA	No established limit
CAS Number: 0010043-67-1	ACGIH	No established limit
	NIOSH	No established limit
	Supplier	No established limit
Benzoic Acid	OSHA	No established limit
CAS Number: 0000065-85-0	ACGIH	No established limit
	NIOSH	No established limit
	Supplier	No established limit
Diethylene Glycol	OSHA	No established limit
CAS Number: 0000111-46-6	ACGIH	No established limit
	NIOSH	No established limit
	Supplier	No established limit
Paraformaldehyde	OSHA	No established limit
CAS Number: 0030525-89-4	ACGIH	No established limit
	NIOSH	No established limit
	Supplier	No established limit

Carcinogen Data

Ingredient / Chemical Designations	Source	<u>Value</u>	
Calcium Sulfate	OSHA	Select Carcinogen: No	
CAS Number: 0007778-18-9	NTP	Known: No; Suspected: No	
	IARC	Group 1, 2a, 2b, 3, 4: No	
Potassium Aluminum Sulfate	OSHA	Select Carcinogen: No	
CAS Number: 0010043-67-1	NTP	Known: No; Suspected: No	
	IARC	Group 1, 2a, 2b, 3, 4: No	
Benzoic Acid	OSHA	Select Carcinogen: No	
CAS Number: 0000065-85-0	NTP	Known: No; Suspected: No	
	IARC	Group 1, 2a, 2b, 3, 4: No	
Diethylene Glycol	OSHA	Select Carcinogen: No	
CAS Number: 0000111-46-6	NTP	Known: No; Suspected: No	
	IARC	Group 1, 2a, 2b, 3, 4: No	
Paraformaldehyde	OSHA	Select Carcinogen: No	
CAS Number: 0030525-89-4	NTP	Known: No; Suspected: No	
	IARC	Group 1, 2a, 2b, 3, 4: No	
			_

8.2 Exposure controls

Respiratory Not necessary where area is properly ventilated.

Wear safety eyewear; safety glasses, goggles, or visors to protect against splashing liquid. **Eyes** Skin Wear overalls which cover the body, arms, and legs. Skin should not be exposed. All parts of

the body should be washed after contact. Wear PVC, vinyl, nitrile, or latex gloves. **Engineering Controls**

Provide adequate ventilation. If the use of local exhaust ventilation is insufficient to maintain vapor levels below occupational exposure limits, suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene. Wash hands before eating, drinking, smoking, or toileting.

Promptly remove soiled clothing; wash thoroughly before reuse.

See Section 2 Precautionary Statements for further details.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance White powder Odor Pungent

No data available Odor threshold

pН N/A

No data available Melting pt. / freezing pt.

Initial boiling pt. and boiling range N/A

Flash point (TCC) $> 100C (>212^{\circ}F)$

Evaporation rate (Bu Acetate = 1) N/A Flammability (solid, gas) N/A

Upper/Lower flammability or explosion limits Lower explosive limit: 7%

Upper explosive limit: 73%

Vapor pressure (Pa) No data available Vapor density Greater than 1 Specific gravity No data available Solubility in water No data available Partition coefficient n-octanol/water (log Pow) No data available Auto-ignition temperature (C) No data available No data available

Decomposition temperature (C) Viscosity (cps) No data available

9.2 Other information

No other relevant information.

10. STABILITY AND REACTIVITY

10.1 Reactivity

Hazardous polymerization will not occur.

10.2 Chemical stability

Stable under recommended storage/handling conditions. May form formic acid and methanol at elevated temperatures.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Avoid heat and open flame.

10.5 Incompatible materials

Avoid contact with strong oxidizers, strong alkalis, strong mineral acids, phenol, and urea.

10.6 Hazardous decomposition products

May form formaldehyde gas, carbon monoxide and dioxide.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Ingredient / Chemical Designations	Oral LD50 (mg/kg)	Skin LD50 (mg/kg)	Inhalation Vapor LD50 (mg/L/4hr)	Inhalation Dust/Mist LD50 (mg/L/4hr)	Inhalation Gas LD50 (ppm)
Calcium Sulfate CAS Number: 0007778-18-9	No data available	No data available	No data available	No data available	No data available
Potassium Aluminum Sulfate CAS Number: 0010043-67-1	No data available	No data available	No data available	No data available	No data available
Benzoic Acid CAS Number: 0000065-85-0	2,360,00, Rat - Category: N/A	>2,000.00, Rabbit - Category: N/A	No data available	>12.20, Rat - Category: N/A	No data available
Diethylene Glycol CAS Number: 0000111-46-6	500.00, Rat - Category: 4	11,890.00, Rabbit - Category: N/A	No data available	No data available	No data available
Paraformaldehyde CAS Number: 0030525-89-4	592.00, Rat - Category: 4	10,000.00, Rabbit - Category: N/A	No data available	1.10, Rat - Category: 4	No data available

Item	Category	Hazard
Acute Toxicity (mouth)	4	Harmful if swallowed
Acute Toxicity (skin)	_	N/A
Acute Toxicity (inhalation)	-	Harmful if inhaled
Skin Corrosion / Irritation	2	Causes skin irritation
Eye Damage / Irritation	1	Causes serious eye damage
Sensitization (respiratory)	-	N/A
Sensitization (skin)	1	May cause an allergic reaction
Germ Toxicity	-	N/A
Carcinogenicity	2	Suspected of causing cancer
Reproductive Toxicity	-	N/A
Specific Target Organ Systemic Toxic	ity 3	May cause respiratory irritation
(single exposure)	-	
Specific Target Organ Systemic Toxic	ity -	N/A
(repeated exposure)	•	
Aspiration Hazard	-	N/A
-		

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Aquatic Ecotoxicity

Ingredient / Chemical Designations	96 hr LC50 Fish (mg/l)	48 hr EC50 Crustacean (mg/l)	ErC50 Algae (mg/l)
Calcium Sulfate	1,970,00, Pimephales promelas	No data	No data
CAS Number: 0007778-18-9		available	available
Potassium Aluminum Sulfate	No data	No data	No data
CAS Number: 0010043-67-1	available	available	available
Benzoic Acid CAS Number: 0000065-85-0	44.60, Lepomis macrochirus	860.00, Daphnia magna	>33.10, Pseudokirchneriella subcapitata
Diethylene Glycol	75,200.00, Pimephales promelas	84,000.00, Daphnia	No data
CAS Number: 0000111-46-6		magna	available
Paraformaldehyde	No data	No data	No data
CAS Number: 0030525-89-4	available	available	available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Do not allow into drains or water courses. Wastes and emptied containers should be disposed of in accordance with regulations enacted under the Control of Pollution Act and the Environmental Protection Act.

Using information supplied within this SDS, advice should be obtained from the Waste Regulation Authority whether any special local municipal waste regulations apply.

14. TRANSPORTATION INFORMATION

14.1 Transport Classes

DOT (Domestic Surface Transportation) IMO / IMDG (Ocean Transportation)

DOT Proper Shipping IMDG Proper Shipping

Name: Not Regulated Name: Not Regulated

DOT Shipping Class: N/A

IMDG Hazard Class: N/A

Sub Class N/A

14.2 Environmental hazards

DOT: N/A **IMDG:** Marine pollutant: N/A

15. REGULATORY INFORMATION

Overview The data provided in this section includes select regulations, and is not inclusive of all regulations that may

be applicable to this product. All ingredients of this product are listed on the TSCA Inventory, or are not

required to be listed.

WHMIS Classification D2B E

US EPA Tier II Hazards Fire: No

Sudden Pressure Release: No Reactivity: No Immediate Health: No Delayed Health: No

EPCRA 311/312 Chemicals and RQ (>0.1%)

Paraformaldehyde (1,000 lbs) Benzoic Acid (no data available) Diethylene Glycol (no data available)

EPCRA 302 Extremely Hazardous (>0.1%)

None listed

EPCRA 313 Toxic Chemicals (>0.1%)

None listed

Proposition 65 - Carcinogens (>0.1%)

None listed

Proposition 65 - Developmental Toxins (>0.0%)

None listed

Proposition 65 - Female Reproductive Toxins (>0.0%)

None listed

Proposition 65 - Male Reproductive Toxins (>0.0%)

None listed

NJ RTK Substances (>1.0%)

Paraformaldehyde Benzoic Acid Diethylene Glycol

PA RTK Substances (>1.0%)

Paraformaldehyde Benzoic Acid Diethylene Glycol

16. OTHER INFORMATION

Harmful to aquatic life

H402

All information contained herein is based upon data believed to be correct. However, no guarantee, expressed or implied, is made with respect to the information contained within. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to this product. Users of this product must comply with all health and safety laws and regulations applicable.

The full text of the phrases appearing in section 3 is as follows:

H228	Flammable solid
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H372	Causes damage to organs (lungs) through prolonged or repeated exposure if inhaled
H373	Causes damage to organs (kidneys) through prolonged or repeated exposure if swallowed

This Safety Data Sheet was prepared using information provided by / obtained by Hydrol Chemical Company, Inc. The information is offered for your consideration and guidance when exposed to the product. Hydrol Chemical Company, Inc. expressly disclaims all expressed or implied warranty and assumes no responsibility for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process as to the accuracy of and/or sufficiency of such information. This SDS may not be changed or altered in any way without the expressed knowledge and permission of Hydrol Chemical Company, Inc.

End of Document